

THE KENNEL CLUB BUILDING AT STONELEIGH – RISK ASSESSMENT GUIDANCE FOR YOUR EVENT

Common sense tells you that you should 'assess the risk' at the event and make certain arrangements to avoid the risk:

- Look for hazards
- Decide who might be harmed and in what circumstances
- Evaluate the risk and ensure the existing controls are adequate
- Record significant findings
- · Regularly review the risk assessment and also in the light of any incident

Unfortunately accidents are bound to occur occasionally. However, it is essential that the organisers are seen to have done their very best to avoid them, and have in place a code of practice that enables them to deal with them in a positive way. This is the purpose of 'Risk Assessment'.

Each event and venue will have its own needs.

The Officers and Committee should have a plan of action with regard to:

- Emergency telephone numbers
- An available car and driver should transport be required
- If communicating radios are used, a separate channel for dealing with confidential situations
- A plan for emergency abandonment of a venue

All committee members and officials should make themselves aware of health and safety issues and take a responsible attitude in this regard. For example, is there a trained first aider in the society who can be called upon?

The following examples of possible Risk Assessment checks that a Society should consider are by no means to be considered an exhaustive list of possibilities and should be used as a starting point for your own Risk Assessment.



Example – kitchen areas

| ACTIVITY | HAZARD | CONTROL MEASURES |
|-----------------------|-----------------------------|----------------------------------------------------------------------|
| Kitchen staff working | Slips, trips, and falls | Spillages to be cleaned immediately. |
| | | Reduced overcrowding. |
| Preparation of food | Cuts and abrasions | First Aid facilities available. |
| Cooking of food | Pots and dishes overheating | Cooking to be monitored continuously |
| | | First Aid facilities available. |
| | | Warning signs. |
| Serving of food | Hot plates and dishes | Provided heat resistant gloves. |
| Equipment | Trailing leads | Electrical appliances to be located close to sockets. Hazard tapes. |

Example – car park

| ACTIVITY | HAZARD | CONTROL MEASURES |
|---------------------------------------|--------------------------------------------------------------------|-------------------------------------------------------------------|
| Pedestrians and exhibitors | People and, or dogs being struck | 10 MPH speed limit – enforced. |
| with dogs moving amongst | by moving vehicles | Attendants directing traffic. |
| cars | | Signs to be erected. Attendants to wear high visibility jackets. |
| Pedestrians and exhibitors | Slips, trips, and falls due to uneven | Car park inspected prior to show. |
| with dogs walking through car park | ground | Uneven ground reported to Show Ground Manager. |
| Rain/bad weather | Risk of pathways and grass areas becoming inaccessible | Area sectioned off with hazard tape until safe. |
| Dog being excited | Owners letting dogs off leads dogs out of control. | Dogs to be kept on leads. Warning signs to be erected. |
| Car parking on grass | Long or cut grass risk of fire through hot exhaust touching dry | Provide Fire Extinguishers. |
| | grass | Arrange for grass to be cut short. |



Example – benching area

| ACTIVITY | HAZARD | CONTROL MEASURES |
|-------------------------------------------------|------------------------------------------------------------|-------------------------------------------------------------------------------|
| Gangways blocked by trolleys, cages chairs etc. | Obstruction of free passage and means of escape | Regular inspection backed up by announcements if required. |
| Benching stability | Exhibitors interfering with Benching/Standing on benching | Continuous inspections during show. Warning notices in benching areas. |
| Bio hazard | Dog excrement | Sufficient exercise areas marked out and signed and adequate disposal points. |

Example – showground/venue

| ACTIVITY | HAZARD | CONTROL MEASURES |
|---------------------------|--------------------------------------------------------|-------------------------------------|
| Cages by ringside | Obstruction of free passage and escape route | Set aside area for cages. |
| | escape route | Inspection continuously. |
| | | See benching regulations. |
| Exhibitors moving about | Uneven surface – slip, trips and | Site inspection before show. |
| | falls | Continuous inspection throughout |
| | | show. |
| Trade stand areas outside | Storage of petroleum spirit | Provision of firefighting |
| | Use of generators – trailing leads | equipment. |
| | 3. Use of Propane gas | Lead protected. |
| | | Provision of firefighting |
| | | equipment. |
| Bio hazard | Dog excrement | Sufficient exercise areas marked |
| | | out and signed adequate disposal |
| | | points. |
| Medical emergencies | Accidents, illness or injury | Medical Staff available. Directions |
| | | easily available for nearest A & E |
| | | Department. |